

Features

• High saturation current

Electrical Specifications

- Low loss due to low DC resistance
- Frequency application up to 3MHz
- Low profile with max thickness 3.0mm

Applications

- DC/DC converters in Notebook, desktops, and servers
- Low profile, high current power supplies

Part Number	Inductance	Tolerance	DCR Max	Saturation Current Typ.	Temperature Rise Current Typ.
Units	μH	%	mΩ	Α	Α
Symbol	L	Μ		Isat	Irms
ASPI-0630LR-R22	0.22	М	3.0	34.0	24.0
ASPI-0630LR-R33	0.33	М	3.5	23.0	21.0
ASPI-0630LR-R47	0.47	М	4.1	20.0	18.0
ASPI-0630LR-R56	0.56	М	5.0	18.0	16.0
ASPI-0630LR-R68	0.68	М	6.5	17.0	16.0
ASPI-0630LR-R82	0.82	М	7.5	16.0	14.0
ASPI-0630LR-1R0	1.0	М	9.0	15.0	12.0
ASPI-0630LR-1R5	1.5	М	12.1	12.0	10.0
ASPI-0630LR-2R2	2.2	М	18.5	10.0	8.0
ASPI-0630LR-3R3	3.3	М	28.0	9.5	6.5
ASPI-0630LR-4R7	4.7	М	35.0	6.5	5.5
ASPI-0630LR-5R6	5.6	М	42.0	5.0	5.0
ASPI-0630LR-6R8	6.8	М	60.0	6.0	4.5
ASPI-0630LR-8R2	8.2	М	60.0	5.5	5.0
ASPI-0630LR-100	10.0	М	68.0	5.5	4.0
ASPI-0630LR-150	15.0	М	120.0	4.0	3.0
ASPI-0630LR-220	22.0	М	170.0	2.5	2.5
ASPI-0630LR-330	33.0	М	270.0	2.5	2.0
ASPI-0630LR-470	47.0	М	385.0	2.0	1.5


Test Conditions

Inductance is measured using Wayne Kerr3260+3265B at 100KHz, 1V. RDC is measured using HIOKI3540. Isat: Based on inductance change (ΔL/Lo : ≤ -30%) Irms: Based on temperature rise (ΔT : 40°C TYP.) **Operating Temperature:** -55°C to +125°C (Including self-generated heat) **Storage Temperature and Humidity:** < 35°C, 35% to 65% RH




5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sales, please visit: www.abracon.com

REVISION: C 11-08-22





Electrical Characteristic Curves




ASPI-0630LR-1R0


ASPI-0630LR-1R5








ASPI-0630LR-2R2





5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sales, please visit: www.abracon.com


REVISION: C 11-08-22



À ABRACON

5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sales, please visit: www.abracon.com

REVISION: C 11-08-22




For terms and conditions of sales, please visit:

www.abracon.com

REVISION: C 11-08-22


ISO9001-2015 CERTIFIED







5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sales, please visit: www.abracon.com

REVISION: C 11-08-22








Zone	Description	Temperature	Times	
1	Preheat	$\begin{array}{l} T_{SMIN} \sim T_{SMAX} \\ 150^{\circ}C \sim 200^{\circ}C \end{array}$	60~120 Sec.	
2	Reflow	T _L 217°C	60 ~90 Sec.	
3	Peak heat	Т _Р 255°С (0/ -5°С)	10 sec. Max	




5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sales, please visit: www.abracon.com

REVISION: C 11-08-22



Packing

T15: 1,500pcs / reel



ATTENTION: Abracon LLC's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependent Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon LLC is required. Please contact Abracon LLC for more information.



5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sales, please visit: www.abracon.com

REVISION: C 11-08-22