HC/49US (AT49) LOW PROFILE SURFACE MOUNT MICROPROCESSOR CRYSTAL





RoHS

Compliant

Pb

Moisture Sensitivity Level (MSL) – This product is Hermetically Sealed and not Moisture Sensitive - MSL = N/A: Not Applicable

FEATURES:

> APPLICATIONS:

• Wireless Applications

· Computers, Modems, Microprocessors

- Suitable for RoHS compliant reflow
- Low height reduced to 3.3mm
- Available suitable for thin equipment
- Tight stability & extended temperature

STANDARD SPECIFICATIONS:


Parameters	Minimum	Typical	Maximum	Units	Notes
	3.579545		24.00		Fundamental AT (Standard)
Frequency Range	24.01		50.00	MHz	Fundamental AT or BT (See options)
	24.01		70.00		3 rd Overtone (Standard)
Operation Mode	Fundamental or 3 rd Overtone				
Operating Temperature	0		+70	°C	See options
Storage Temperature	-55		+125	°C	
Frequency Tolerance @+25°C	-50		+50	ppm	See options
Frequency Stability over the Operating Temperature (ref. to +25°C)	-50		+50	ppm	See options (For BT cut, ±100ppm max.at -10° C to +60° C only)
Equivalent series resistance (R1)	See table 1 below			Ω	
Shunt capacitance (C0)			7	pF	
Load capacitance (CL)		18		pF	Standard (See options if other than STD)
Drive Level		100	1000	μW	
Aging	-5		+5	ppm	@25°C±3°C First year
Insulation Resistance	500			MΩ	$ (a) 100 \text{Vdc} \pm 15 \text{V} $
Drive level dependency (DLD)	Change in free Change in ES value.	quency (Maxir R (Maximum ·		n) over DLl er DLD ran	D range < ±10ppm ge < 25% of Max ESR

TABLE 1: ESR			
FREQUENCY (MHz)	ESR (Ω)		
3.579545 - 4.999 (Fund.)	180		
5.000 - 5.999 (Fund.)	120		
6.000 - 7.999 (Fund.)	100		
8.000 - 8.999 (Fund.)	80		
9.000 - 9.999 (Fund.)	60		
10.000 - 15.999 (Fund.)	50		
16.000 - 50.000 (Fund.)	40		
24.01 - 31.999 (3rd O/T)	100		
32.000 - 70.00 (3rd O/T)	80		



5101 Hidden Creek Lane Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sale please visit: www.abracon.com REVISED: 11.15.2016





NOTE: Fundamental BT frequency stability \pm 100ppm max. at -10° C to +60° C only.


* Frequency stability ±50ppm, ±100ppm, ±150ppm only. Contact ABRACON for tighter frequency stability.


** Contact ABRACON for availability of ±10ppm with other Operating Temperature options.



5101 Hidden Creek Lane Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sale please visit: www.abracon.com REVISED: 11.15.2016

ABRACON IS			
ISO9001-2008			
CERTIFIED			





3 Critical Zone T_L to T_P Ramp Up TSMAX Temperature TSMI Ramp Down Preheat 1 2 t 25°C to Peak Time Temperature Zone Description Time 1 Preheat $T_{SMIN} \sim T_{SMAX}$ 150°C ~ 180°C 60 ~ 120 sec. Т_L 230°С 30 ~ 40 sec. 2 Reflow Т_р 260°С 3 Peak Heat 10 sec. MAX

ATTENTION: Abracon products are COTS - Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependant Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon is required. Please contact Abracon for more information.



5101 Hidden Creek Lane Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sale please visit: www.abracon.com REVISED: 11.15.2016 ABRACON IS ISO9001-2008 CERTIFIED